

## FAGRON a.s.

Inspectional laboratory no. 536 Holická 1098/31m, 779 00 Olomouc tel. 585222590, fax 585226521

email: orj@fagron.cz

## **CERTIFICATE OF ANALYSIS**

Product name:

PARAFINA CIEKŁA

**Inspection No:** 

H05321/0620/536

Batch No:

078405

Batch size: 1 998 x 50 g

Expiry date:

29.06.2022

Analyzed according to:

Ph. Eur. 10.0: 0239

Tests	Requirements:	Results:
Appearance	colourless, transparent, oily liquid, free from fluorescence in daylight	complies
Solubility	practically insoluble in water, slightly soluble in ethanol 96%, miscible with hydrocarbons	complies
Identification	complies with Ph. Eur.	complies
Acidity or alkalinity	complies with Ph. Eur.	complies
Relative density	0,827 - 0,890	0,865
Viscosity	110 – 230 mPa⋅s	176 mPa⋅s
Polycyclic aromatic hydrocarbons	complies with Ph. Eur.	complies
Readily carbonisable substance	complies with Ph. Eur.	complies
Solid paraffins	complies with Ph. Eur.	complies

## The product conforms to Ph. Eur. 10.0: 0239

**Conclusion:** I certify that the above-mentioned batch of pharmaceutical raw material has been manufactured and tested in accordance with the requirements of Marketing Authorization (License) and requirements of Good Manufacturing Practice.

Approved by:

Ivana Urbánková, QP

Date and signature:

p. 7. 20 20 US