

**FAGRON a.s.**

Inspectional laboratory no. 536
Holická 1098/31m, 779 00 Olomouc
tel. 585222590, fax 585226521
email: orj@fagron.cz

CERTIFICATE OF ANALYSIS

Product name: EUCERYNA APTECZNA
Inspection No: G00229/0219/536
Batch No: 063195 **Batch size:** 1500 x 500g
Expiry date: 30.11.2020
Analysed according to: FP XI, FAPL 027, v. 1

Tests	Requirements:	Results:
Appearance and properties	white or <u>yellowish-white</u> , translucent, homogeneous, soft mass	conform
Identification	complies with FP	conform
Appearance after melting	complies with FP	conform
Freezing point	38,0 °C – 56,0 °C	56°C
Loss on drying	max. 5,0 %	0,1 %
Water-absorption capacity	complies with FP	30 g water/10 g Ung.Eucerini
Microbiology (2.6.12, 2.6.13):		
TAMC	$\leq 10^3$ CFU/g	conform
TYMC	$\leq 10^2$ CFU/g	conform

The product conforms to FP XI, specification FAPL 027, v. 1

Conclusion: I certify that the above-mentioned batch of pharmaceutical raw material has been manufactured and tested in accordance with the requirements of Marketing Authorization (License) and requirements of Good Manufacturing Practice.

Approved by: PharmDr.Hana Běhalová, QP

Date and signature:

27.11.2019

