

CERTIFICATE OF ANALYSIS

Product name: MAŚĆ CHOLESTEROLOWA

Inspection No: I08962/1021/536

Batch No: 088668 **Batch size:** 1 999 x 100 g

Expiry date: 31.10.2023

Analysed according to: FP XI, FAPL 022 v. 1

Tests	Requirements:	Results:
Appearance and properties	White, translucent, homogenous, soft mass	conform
Solubility	Practically insoluble in water, soluble in chloroform and ethyl ether, very slightly soluble in ethanol (96 %)	conform
Identification	complies with FP	conform
Appearance after melting	Transparent and colourless liquid	conform
Water-absorption capacity	Complies with FP	39 g water / 10 g Cholesteroli Ung.
Microbiology (2.6.12)		
TAMC	$\leq 10^3$ [CFU/g]	< 10 CFU/g
TYMC	$\leq 10^2$ [CFU/g]	< 10 CFU/g

The product conforms to FP XI, specification FAPL 022 v. 1

Conclusion: I certify that the above-mentioned batch of pharmaceutical raw material has been manufactured and tested in accordance with the requirements of Marketing Authorization (License) and requirements of Good Manufacturing Practice.

Approved by: MVDr. Zdenka Borská, QP

Date and signature: 29.11.2021 B/.....